



Sarah method(中級)




解法の流れ：上の図

表記法：[Rubik'skewb](#)


一面（揃っているコーナーは正位置）




$R' r' R r$
 $z R r R' r'$




$r' R' r R$
 $z r R r' R'$




$r R' r R r$
 $R' r R' r' R'$




$R r R r' R$
 $r' R' r' R r'$



$r R' r' R$




$R' r R r'$




$B r' B r'$

コーナー+センター(対面)


$S(\text{Sledge})=r' R r R'$ 、 $H(\text{Hedge})=R r' R' r$ 、☆=開始面




S




H




SS




$S z S$




$S z H$ (または $H z H$ (開始面は青))




$S z S (r' R r z r R r R')$




$H z H (R r' R' z' R' r' R' r)$



$S z S z H$




$H z S z S$



$R' r' R r z R r R' r z' r' R r$


センター(側面)

U-perm




$S z^2 S$

Z-perm



$r' l' B' l B l r l' r$


H-perm




$r R' r R' y L' l L' l$

おまけ

L3C (O-perm)




$b r' R r R' z^2 r' R r R$




$B' r' R r R' z^2 r' R r R' r$


L4C



$(r' R r R') \times 3$



$R' r' R r R' r' R r R' r' R r$



$R r' R r R' r' R r R' r' R r R$